

*Taking it to*  
**THE STREETS**  
**ALPHA® Eclipse™** Outdoor Series



exite™

ROAD  
STAR

StreetSmart™

# *Maximize the impact of your with a digital LED*

*Dealer expertise assures you get exactly what you need*

## THE RIGHT SOLUTION

Adaptive sells through our experienced sign dealer network, who are well-trained experts in digital signage. We have hand-picked these dealer partners and train them to keep up with ever-changing product innovations. They'll help you get precisely the right solution for both your site and your requirements. They'll work closely with you to optimize your LED display communication value.

*Innovative design adds value*

## PERFORMANCE

For almost three decades, Adaptive has designed LED displays from the ground up, with ongoing R&D to assure our products are truly state-of-the-art. We design them to be energy-efficient and modular for easy service. And our exclusive weather-sealed Protector™ case eliminates costly filter changes and component contamination by weather or the elements... so you can concentrate on running your business.



StreetSmart™ 24x160

*Keeping you productive with unmatched training and support*

## SUPPORT

Adaptive is committed to delivering an unmatched level of training and support for our dealer partners and you, our customer. Our exclusive E-Train online training classes get you up to speed on software quickly – right from your desktop. And our 24/7 technical support staff will ensure that your Adaptive digital display solution is performing to its full potential... maximizing your display investment.

# *outdoor advertising potential display company that has what it takes!*

Advertising with a digital LED display is the best investment you can make to increase your customer traffic. Targeted communication, with returns unlike any other advertising media available today. Instantly react at a moments notice. Most LED displays might look alike, at first glance. Yet, choosing the right solution and manufacturer is vital to maximize your return on your investment.

Adaptive's AlphaEclipse™ Outdoor Series – the smartest digital sign choice you can make today!

## *Software tools that bring your digital content to life*

From our time-tested AlphaNet™ software to our Ooh!Media graphics-based software, Adaptive has designed software solutions that have anticipated market needs, user skill set development and desires. For example, Ooh!Media gives you access to all your Windows® fonts, a rainbow of colors, and the power and effects to create dynamic content using graphics and animations like a pro. With Ooh!Media's down-to-the-minute or out-for-a-year virtual scheduling, you can manage content for one location across town or a network of displays across the country.

# DEPENDABLE




Excite™ 23mm - 128 x 320

## *A company you can count on*

While many LED display manufacturers have come and gone, Adaptive continues to be a model of vitality. We've been in the LED electronic message center business for three decades, producing hundreds of thousands of solutions for a wide variety of industries. This diversification makes us a stable and vibrant partner. In addition, we reinvest millions of dollars each year in engineering and product development to assure you of a steady stream of innovative solutions and state-of-the-art technology.

# DIVERSIFICATION



BetaBrite Prism® & AlphaXpress Walk In 27x108

## High performance, full color with video

### 23mm Pitch

**excite™** Series

FULL COLOR, Video capable

- Full color, high resolution for detailed rendering of static or up to 60 fps video graphic content
- Sizes from 14" x 58" – 14' x 48' billboard sizes
- 9.7" case depth
- Character sizes from 6" – 14' using available Windows fonts
- 6500 NITS brightness and special high-contrast display face for great visibility in full sun
- 160° ultra-wide viewing angle
- High resolution – visible from 85 to over 1500 feet
- Front serviceable SmartPanel™ LED design
- Maintenance-free Protector sealed case
- Ooh!Media graphic-based software for content creation and virtual scheduling
- Wired or wireless communication
- Quick downloads via high speed Ethernet



80 x 320

112 x 224



48 x 112

35–65 MPH



85–1500 feet  
viewability



Rows	Columns	Case Dimensions H X W	Character Height Choices*	6.3" Characters Per line*	Max 115VAC Input Current (Amps)	Weight	# Of Circuit Breakers Needed @ 115VAC
16	96	1'3" x 7'3"	4.5" - 14.5"	16/2	6	90 lbs.	1
16	112	1'3" x 8'5"		18/2	7	105 lbs.	1
16	128	1'3" x 9'8"		21/2	8	120 lbs.	1
32	96	2'5" x 7'3"	4.5" - 28.9"	16/4	12	180 lbs.	1
32	112	2'5" x 8'5"		18/4	14	210 lbs.	1
32	128	2'5" x 9'8"		21/4	15	240 lbs.	1
48	96	3'7" x 7'3"	4.5" - 43.4"	16/6	18	270 lbs.	1
48	112	3'7" x 8'5"		18/6	20	315 lbs.	1
48	128	3'7" x 9'8"		21/6	23	360 lbs.	1
64	128	4'10" x 9'8"	4.5" - 57.9"	21/8	31	480 lbs.	2
64	144	4'10" x 10'10"		24/8	39	540 lbs.	2
64	160	4'10" x 12'1"		26/8	39	600 lbs.	2
80	128	6' x 9'8"	4.5" - 72.4"	21/10	38	600 lbs.	2
80	144	6' x 10'10"		24/10	48	675 lbs.	3
80	160	6' x 12'1"		26/10	48	750 lbs.	3
96	128	7'3" x 9'8"	4.5" - 86.8"	21/12	46	720 lbs.	2
96	144	7'3" x 10'10"		24/12	58	810 lbs.	3
96	160	7'3" x 12'1"		26/12	58	900 lbs.	3
192	640	14'6" x 48'3"	4.5" - 173.7"	106/24	249 (230VAC only)	7200 lbs.	Consult Dealer

■ –Indicates largest size available

**Many additional sizes available up to 14.5 ft. x 48.3 ft (192 rows x 640 columns)**

All specifications are approximate. Request exact measurement drawings from your Adaptive dealer. Due to continuing product innovations, all specifications are subject to change without notice. \*Based upon standard Adaptive 5x7 character font - with Ooh!Media character height choices also include many sizes of standard Windows fonts.



## Brilliant color, a Big Bang for your Buck!

**35mm Pitch**

**excite™ Series**

FULL COLOR, for longer viewing distances

- Full color, cost-effective resolution for detailed rendering of static or up to 60 fps video graphic content from a distance
- Sizes from 2' x 5' – 14' x 48'
- 10.135" case depth
- Character sizes from 10" – 15"
- 6500 NITS brightness and special high-contrast display face for great visibility in full sun
- 160° ultra-wide viewing angle
- Viewing distances from 100–2500 feet
- Front serviceable SmartPanel LED design
- Maintenance-free Protector sealed case
- Ooh!Media graphic-based software for content creation and enterprise-wide digital signage control
- Wired or wireless communication
- Quick downloads via high speed Ethernet



80 x 96



112 x 160

96 x 144

35–70 MPH



100–2500 feet  
viewability



Rows	Columns	Case Dimensions H X W	Character Height Choices*	10" Characters Per line*	Number of Shippable Sections	Number of Power Entries	Total AC Current Req. (Amps)	Power Entry A (Amps)	Power Entry B (Amps)	Weight
16	96	1'10" x 11'1"	7" - 22"	16/2	1	1	11.1	11.1	-	204 lbs.
16	112	1'10" x 12'11"		18/2	1	1	13.0	13.0	-	238 lbs.
24	128	2'9" x 11'1"	7" - 33"	16/3	1	1	16.7	16.7	-	306 lbs.
24	96	2'9" x 12'11"		18/3	1	1	19.4	19.4	-	357 lbs.
32	112	3'8" x 11'1"	7" - 44"	16/4	1	1	22.2	22.2	-	408 lbs.
32	128	3'8" x 12'11"		18/4	1	1	25.9	25.9	-	476 lbs.
40	96	4'8" x 11'1"	7" - 55"	16/5	1	1	27.8	27.8	-	510 lbs.
40	112	4'8" x 12'11"		18/5	1	1	32.4	32.4	-	595 lbs.
48	96	5'7" x 11'1"	7" - 66"	16/6	1	1	33.3	33.3	-	612 lbs.
48	112	5'7" x 12'11"		18/6	1	1	38.9	38.9	-	714 lbs.
48	128	5'7" x 14'9"		21/6	1	1	44.4	44.4	-	816 lbs.
64	128	7'5" x 14'9"	7" - 88"	21/8	2	2	59.2	44.4	14.8	1080 lbs.
64	144	7'5" x 16'7"		24/8	4	2	66.6	50.0	16.7	1224 lbs.
64	160	7'5" x 18'5"		26/8	4	2	74.0	55.5	18.5	1360 lbs.
80	144	9'3" x 16'7"	7" - 110"	24/10	4	2	83.3	50.0	33.3	1530 lbs.
80	160	9'3" x 18'5"		26/10	4	2	92.5	55.5	37.0	1700 lbs.
96	160	11'1" x 18'5"	7" - 132"	26/12	6	2	111.0	55.5	55.5	2040 lbs.
96	176	11'1" x 20'3"		29/12	6	2	122.1	61.1	61.1	2244 lbs.
128	416	14'9" x 47'10"	7" - 177"	69/15	12	3	290.3	144.3	146.0	7022 lbs.

— Indicates largest size available

**Many additional sizes available up to 14'9" x 47'10" (128 rows to 416 columns).**

All specifications are approximate. Request exact measurement drawings from your Adaptive dealer. Due to continuing product innovations, all specifications are subject to change without notice. \*Based upon standard Adaptive 5x7 character font - with Ooh!Media character height choices also include many sizes of standard Windows fonts.

# Monochrome 256 levels of shading – standard

**17mm Pitch**

*StreetSmart*™ Series

RED / AMBER Monochrome Shaded Graphics


- High resolution monochrome with 256 shades of red or amber for text, graphics or animations – great for pedestrian and street viewing in monument applications
- Sizes from 1' x 4' – 5.5' x 15'
- 9.875" case depth
- Character sizes from 4" – 22"
- 125° viewing angle
- 100–1000 foot viewing distances
- Direct replacement for 4, 6, and 8-inch manually changeable letterboards
- Two- to 12-line models
- Maintenance-free Protector sealed case
- Content creation and scheduling using AlphaNet or Ooh!Media software
- Wired or wireless communication
- Quick downloads via high speed Ethernet



24 x 84



48 x 96



32 x 96

25–35 MPH



100–840 feet  
viewability



Rows	Columns	Case Dimensions H X W	Character Height Choices*	4.9" Char's per line*	Max Current (Amps)	Weight
16	96	11" x 5'6"	3" - 11"	16/2	2.76	69.3 lbs.
16	128	11" x 7'4"		21/2	3.69	93.2 lbs.
16	160	11" x 9'2"		26/2	4.61	109 lbs.
16	192	11" x 11'0"		32/2	5.53	124.7 lbs.
32	96	1'10" x 5'6"	3" - 22"	16/4	5.53	91.7 lbs.
32	128	1'10" x 7'4"		21/4	7.37	110.5 lbs.
32	160	1'10" x 9'2"		26/4	9.22	140 lbs.
32	192	1'10" x 11'0"		32/4	11.06	158.7 lbs.
48	96	2'9" x 5'6"	3" - 33"	16/6	8.29	137.9 lbs.
48	128	2'9" x 7'4"		21/6	11.06	173.2 lbs.
48	160	2'9" x 9'2"		26/6	13.82	211.1 lbs.
48	192	2'9" x 11'0"		32/6	16.59	238.2 lbs.

Rows	Columns	Case Dimensions H X W	Character Height Choices*	4.9" Char's per line*	Max Current (Amps)	Weight
64	96	3'8" x 5'6"	3" - 44"	16/8	11.06	164.1 lbs.
64	128	3'8" x 7'4"		21/8	14.75	194.5 lbs.
64	160	3'8" x 9'2"		26/8	18.43	246 lbs.
64	192	3'8" x 11'0"		32/8	22.12	276 lbs.
80	96	4'7" x 5'6"	3" - 44"	16/10	13.82	201.8 lbs.
80	128	4'7" x 7'4"		21/10	18.43	248.6 lbs.
80	160	4'7" x 9'2"		26/10	23.04	309 lbs.
80	192	4'7" x 11'0"		32/10	27.65	347 lbs.
96	256	5'6" x 14'8"	3" - 67"	12/42	NA	539 lbs.

■ –Indicates largest size available

**Many additional sizes available up to 5'6" x 14'9" (96 rows x 256 columns)**

All specifications are approximate. Request exact measurement drawings from your Adaptive dealer. Due to continuing product innovations, all specifications are subject to change without notice. \*Based upon standard Adaptive 5x7 character font - with Ooh!Media character height choices also include many sizes of standard Windows fonts.

## Cost-effective text and graphic content

**35mm Pitch**

### StreetSmart Series

RED / AMBER Monochrome Shaded Graphics

- Monochrome models in 256 shades of red or amber. For text or fully shaded graphics or animations – excellent for any mainstreet advertising application
- Sizes from 1' x 4' to 11' x 30'
- 10.135" case depth
- Bold 10" to 44" characters
- 125° viewability models
- 200–1760 foot viewing distances
- Designed for higher speed vehicle viewing
- One- to 12-line models
- Maintenance-free Protector sealed case
- Content creation and scheduling using AlphaNet or Ooh!Media software
- Wired or wireless communication
- Quick downloads via high speed Ethernet




48 x 96



24 x 64



24 x 96



16 x 64

35–70 MPH



200–1760 feet  
viewability



Rows	Columns	Case Dimensions H X W	Character Height Choices*	10" Char's per line*	Max Current (Amps)	Weight
8	32	11" x 3'8"	7" - 11"	5/1	1.12	54 lbs.
8	64	11" x 7'4"		10/1	2.24	93 lbs.
8	80	11" x 9'2"		13/1	2.64	109 lbs.
8	96	11" x 11'		16/1	3.04	125 lbs.
8	112	11" x 12'10"		18/1	3.76	148 lbs.
8	128	11" x 14'8"		21/1	4.16	179 lbs.
8	144	11" x 16'6"		24/1	4.56	195 lbs.
16	64	1'10" x 7'4"	7" - 22"	10/2	3.84	111 lbs.
16	80	1'10" x 9'2"		13/2	4.96	140 lbs.
16	96	1'10" x 11'		16/2	5.76	159 lbs.
16	112	1'10" x 12'10"		18/2	6.88	188 lbs.
16	128	1'10" x 14'8"		21/2	7.68	222 lbs.
16	144	1'10" x 16'6"		24/2	8.8	251 lbs.

Rows	Columns	Case Dimensions H X W	Character Height Choices*	10" Char's per line*	Max Current (Amps)	Weight
24	64	2'9" x 7'4"	7" - 33"	10/3	6.08	173 lbs.
24	80	2'9" x 9'2"		13/3	7.6	211 lbs.
24	96	2'9" x 11'		16/3	8.8	238 lbs.
24	112	2'9" x 12'10"		18/3	10.64	284 lbs.
24	128	2'9" x 14'8"		21/3	11.84	339 lbs.
24	144	2'9" x 16'6"		24/3	13.36	377 lbs.
32	64	3'8" x 7'4"	7" - 44"	10/4	7.68	194 lbs.
32	80	3'8" x 9'2"		13/4	9.92	246 lbs.
32	96	3'8" x 11'		16/4	11.52	276 lbs.
32	112	3'8" x 12'10"		18/4	13.76	328 lbs.
32	128	3'8" x 14'8"		21/4	15.36	389 lbs.
32	144	3'8" x 16'6"		24/4	17.6	441 lbs.
96	256	11' x 29'4"	7" - 134"	42/12	NA	2350 lbs.

■ –Indicates largest size available

**Many additional sizes available up to 11' x 29'4" (96 rows x 256 columns).**

All specifications are approximate. Request exact measurement drawings from your Adaptive dealer. Due to continuing product innovations, all specifications are subject to change without notice. \*Based upon standard Adaptive 5x7 character font - with Ooh!Media character height choices also include many sizes of standard Windows fonts.



# AlphaEclipse ROADSTAR 64 & 89

*BIG and BOLD for high visibility*

## 64/89mm Pitch ROADSTAR Series

RED / AMBER Monochrome Shaded Graphics

- Designed for elevated, higher speed traffic and/or long distance applications
- Sizes from 1.5' x 5' to 14' x 46.5'
- 64mm - 10", 89mm 11.75" case depth
- 256 shades of red or amber
- Large character sizes from 17.5" to over 9 feet
- 125° viewability
- 450 to over 4480 foot viewing distances
- Maintenance-free Protector sealed case
- Front serviceable design
- Content creation and scheduling using AlphaNet or Ooh!Media software
- Low cost alternative to energy-consuming incandescent technology



89mm - 7 x 64



89mm - 16 x 96

64mm 16 x 64

45-75 MPH



450-4480 feet  
viewability



Rows	Columns	Case Dimensions H X W		Character Height Choices* 64mm	Character Height Choices* 89mm	Number of Characters Per Line*	Red Rated Max 115VAC Input Current (Amps)		Amber Rated Max 115VAC Input Current (Amps)		Weight with Mounting Brackets	
		64mm	89mm				64mm	89mm	64mm	89mm	64mm	89mm
7	64	1'8" x 1'3"	2'4" x 1'8"	12.5" - 17.5"	17.5" - 24.5"	10/1	6	9	9	12	210 lbs.	350 lbs.
7	80	1'8" x 1'6"	2'4" x 2'3"			13/1	7	11	11	15	360 lbs.	440 lbs.
7	96	1'8" x 2'0"	2'4" x 2'8"			16/1	8	13	13	18	310 lbs.	530 lbs.
16	64	3'4" x 1'3"	4'8" x 1'8"	12.5" - 40"	17.5" - 56"	10/2	12	19	18	27	460 lbs.	770 lbs.
16	80	3'4" x 1'6"	4'8" x 2'3"			13/2	14	23	23	33	580 lbs.	960 lbs.
16	96	3'4" x 2'0"	4'8" x 2'8"			16/2	17	27	27	39	690 lbs.	1150 lbs.
24	64	5' x 1'3"	7' x 1'8"	12.5" - 60"	17.5" - 84"	10/3	17	27	27	39	690 lbs.	1155 lbs.
24	80	5' x 1'6"	7' x 2'3"			13/3	21	34	34	49	870 lbs.	1440 lbs.
24	96	5' x 2'0"	7' x 2'8"			16/3	25	41	40	58	1035 lbs.	1725 lbs.
32	64	6'8" x 1'3"	9'4" x 1'8"	12.5" - 80"	17.5" - 112"	10/4	22	36	36	52	920 lbs.	1540 lbs.
32	80	6'8" x 1'6"	9'4" x 2'3"			13/4	28	45	45	65	1160 lbs.	1925 lbs.
32	96	6'8" x 2'0"	9'4" x 2'8"			16/4	33	54	53	77	1380 lbs.	2300 lbs.
40	64	8'4" x 1'3"	11'8" x 1'8"	12.5" - 100"	17.5" - 140"	10/5	28	45	45	65	1150 lbs.	1925 lbs.
40	80	8'4" x 1'6"	11'8" x 2'3"			13/5	34	56	56	81	1450 lbs.	2400 lbs.
40	96	8'4" x 2'0"	11'8" x 2'8"			16/5	41	67	67	96	1725 lbs.	2875 lbs.
48	64	10' x 1'3"	14' x 1'8"	12.5" - 120"	17.5" - 168"	10/6	33	54	53	77	1380 lbs.	2310 lbs.
48	80	10' x 1'6"	14' x 2'3"			13/6	41	67	67	96	1740 lbs.	2880 lbs.
48	96	10' x 2'0"	14' x 2'8"			16/6	49	80	80	115	2070 lbs.	3450 lbs.
96	256	20'3" x 5'3"	28'1" x 7'4"	12.5" - 240"	17.5" - 336"	13/42	NA	NA	NA	NA	10970 lbs.	17450 lbs.

— Indicates largest size available

**Many additional sizes available up to 28' x 74' (96 rows x 256 columns)**


All specifications are approximate. Request exact measurement drawings from your Adaptive dealer. Due to continuing product innovations, all specifications are subject to change without notice. \*Based upon standard Adaptive 5x7 character font - with Ooh!Media character height choices also include many sizes of standard Windows fonts.




# ETHERNET CONNECTIVITY

## *Ooh!Media Software*


### WIRELESS TO TCP/IP LAN TO THE PC



### WIRED ETHERNET CABLE TO TCP/IP LAN TO PC



### FIBER OPTIC TO TCP/IP LAN TO THE PC



## Connectivity solutions for AlphaEclipse outdoor models using Ooh!Media Software


### WIRED CONFIGURATIONS

- Ethernet 10/100 BaseT via Cat5 cable
- Fiber optic for cable runs longer than 300 ft.
- Standard TCP/IP addressing—LAN or DSL/cable modems
- Direct to PC or notebook control via crossover cable kit

### WIFI COMMUNICATIONS

- Plug-and-play pre-configured matched radio pairs
  - 128-bit encryption provides secure data delivery
  - Integrates into networks
- (For more detailed information contact your Adaptive dealer)*

## AlphaNet Software



### Connectivity solutions for AlphaEclipse models using AlphaNet Software

- Wired or wireless networking
- Fiber optic for longer cable runs
- Plug-and-play pre-configured matched radio pairs

- Installed and supported locally by an Adaptive® AlphaEclipse dealer
- (For more detailed information contact your Adaptive dealer)*



#### US HEADQUARTERS

7840 North 86th Street  
Milwaukee, WI USA 53224  
Tel: 414-357-2020  
Fax: 414-357-2029  
1-800-558-7022

#### LARGE DISPLAY ASSEMBLY

Jackson, WI USA

#### EUROPEAN OPERATION

25 rue Irene Joliot-Curie  
38320 Eybens, France  
Tel: +33 4 76 14 76 00  
Fax: +33 4 76 14 75 70

#### MALAYSIAN OPERATIONS

Alor Setar, Kendah Malaysia